

cE112r
AGGTCCACTGCGTCCGATGTGAGCATGGCCTGCACCTC
a126CT-eR4
TET-(M5)2-CG*G*C*GTAGCCCTCTCCGTCGTCCTGTGTCC-biotin
a126CF-eR18
6-FAM-(M5)2-CA*T*C*ATTCTATCGCGACAACGCGGGCCGAA-biotin
a156CT-eR10
TET-(M2)2-CG*A*G*CAACCGGTCCGTCTCTACCCTAAACG-biotin
a156CF-eR20
6-FAM-(M2)2-CC*G*T*TCGCGTAGTGCCGAGGGCATCAATTA-biotin
a156CF-eR20
6-FAM-(M2)2-CC*G*T*TCGCGTAGTGCCGAGGGCATCAATTA-biotin
a125CT-eR36
TET-(M5)-CT*A*C*TTGCCTTCGCGTAGTGGAGGAGAGTT-biotin
a125CF-eR34
6-FAM-(M5)-CT*C*G*GCACGGTTCTACGGAGTGCATAGCGA-biotin
a1CT-eR50
TET-CT*C*A*GGAAGGGCGAAGCGTTCCCTGCCAAT-biotin
a1CF-eR47
6-FAM-CT*A*C*GCACCTATGACGCGCCTAACCTTTGG-biotin

SEQUENCE LISTING

5 <110> ACLARA BioSciences, Inc.

Virgos, Carmen

Cronin, Maureen

<120> Universal e-tag Primer and Probe

10 Compositions and Methods

<130> 502258088W00

<140> Not Yet Assigned

15 <141> Filed Herewith

<150> US 60/330,021

<151> 2001-10-16

20 <160> 88

<170> FastSEQ for Windows Version 4.0

<210> 1

<211> 24

5 <212> DNA

<213> Artificial Sequence

<220>

<223> primer

10

<400> 1

gaaggagaag gtgtctgcgg tagc

24

<210> 2

15 <211> 24

<212> DNA

<213> Artificial Sequence

<220>

20 <223> primer

<400> 2

gaaggagaag gtgtctgcgg aagt

24

25 <210> 3

<211> 24

<212> DNA

<213> Artificial Sequence

30 <220>

<223> template

<221> misc_feature
<222> (1)...(24)
<223> n = A,T,C or G

5 <400> 3
gaaggagaag gtgtctgcgg gagn 24

<210> 4
<211> 30
10 <212> DNA
<213> Artificial Sequence

<220>
<223> primer
15
<400> 4
tacttcaagg acaaaatacc tgtattccgc 30

<210> 5
20 <211> 30
<212> DNA
<213> Artificial Sequence

<220>
25 <223> primer

<400> 5
tacttcaagg acaaaatacc tgtattccat 30

30 <210> 6
<211> 32
<212> DNA

<213> Artificial Sequence

<220>

<223> primer

5

<400> 6

caggggaaac ctatacttat aagtggaaca tc 32

<210> 7

10 <211> 20

<212> DNA

<213> Artificial Sequence

<220>

15 <223> primer

<400> 7

cgcgacatg gaggacgttt 20

20 <210> 8

<211> 20

<212> DNA

<213> Artificial Sequence

25 <220>

<223> primer

<400> 8

cgcgacatg gaggacgttc 20

30

<210> 9

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

5 <223> primer

<400> 9

gagcatggcc tgcacctc

18

10 <210> 10

<211> 20

<212> DNA

<213> Artificial Sequence

15 <220>

<223> primer

<400> 10

aggacggtgc ggtgagagtg

20

20

<210> 11

<211> 30

<212> DNA

<213> Artificial Sequence

25

<220>

<223> e-tag reporter sequence

<400> 11

30 cgcgattggc gtcgtctgag cgcctttaa

30

<210> 12

<211> 26

<212> DNA

<213> Artificial Sequence

5 <220>

<223> e-tag reporter sequence

<221> misc_feature

<222> (13)...(14)

10 <223> e-tag modification.

<400> 12

ccatgccaac tacctgccgt gaacaa

26

15 <210> 13

<211> 26

<212> DNA

<213> Artificial Sequence

20 <220>

<223> e-tag reporter sequence

<221> misc_feature

<222> (16)...(17)

25 <223> e-tag modification

<400> 13

cagccacaca gagcgcttcc aatgac

26

30 <210> 14

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> e-tag reporter sequence

5

<400> 14

cggcgtagcc ctctccgtcg tcctgtgtcc 30

<210> 15

10 <211> 30

<212> DNA

<213> Artificial Sequence

<220>

15 <223> e-tag reporter sequence

<400> 15

cgacgctttg cagatgatat acttgcgcgg 30

20 <210> 16

<211> 30

<212> DNA

<213> Artificial Sequence

25 <220>

<223> e-tag reporter sequence

<400> 16

ccgtggatca gcctgcccga ttccgtcaca 30

30

<210> 17

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

5 <223> e-tag reporter sequence

<400> 17

cggccttcac agcgaagtta cccggcttta 30

10 <210> 18

<211> 30

<212> DNA

<213> Artificial Sequence

15 <220>

<223> e-tag reporter sequence

<400> 18

catccgcagg tagaatgacg ggaagccgat 30

20

<210> 19

<211> 30

<212> DNA

<213> Artificial Sequence

25

<220>

<223> e-tag reporter sequence

<400> 19

30 cctgttgcgc cctgaagaca agagatttcg 30

<210> 20

<211> 30

<212> DNA

<213> Artificial Sequence

5 <220>

<223> e-tag reporter sequence

<400> 20

cgagcaaccg gtccgtctct accctaaacg

30

10

<210> 21

<211> 30

<212> DNA

<213> Artificial Sequence

15

<220>

<223> e-tag reporter sequence

<400> 21

20 cgaagcgtag gtcaaccctg agcgtgcgat

30

<210> 22

<211> 22

<212> DNA

25 <213> Artificial Sequence

<220>

<223> e-tag reporter sequence

30 <221> misc_feature

<222> (8)...(9)

<223> e-tag modification

<221> misc_feature
<222> (17)...(18)
<223> e-tag modification
5
<400> 22
cgcgagcgtg aacgtacatt tc 22

<210> 23
10 <211> 26
<212> DNA
<213> Artificial Sequence

<220>
15 <223> e-tag reporter sequence

<221> misc_feature
<222> (14)...(15)
<223> e-tag modification
20
<400> 23
ctgagatgtg tggcgcgga ggcgaa 26

<210> 24
25 <211> 30
<212> DNA
<213> Artificial Sequence

<220>
30 <223> e-tag reporter sequence

<400> 24

caactgtcgg gacattaacg gtgggcagca

30

<210> 25

<211> 26

5 <212> DNA

<213> Artificial Sequence

<220>

<223> e-tag reporter sequence

10

<221> misc_feature

<222> (1)...(1)

<223> e-tag modification to 5' end

15 <400> 25

tcgaacaagg cggtaaacgc caaagc

26

<210> 26

<211> 30

20 <212> DNA

<213> Artificial Sequence

<220>

<223> e-tag reporter sequence

25

<400> 26

cccagtgcta tagcaccggc tcgcatggat

30

<210> 27

30 <211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> e-tag reporter sequence

5 <400> 27

cccacccggt gttgttcga gactcgcaca 30

<210> 28

<211> 30

10 <212> DNA

<213> Artificial Sequence

<220>

<223> e-tag reporter sequence

15

<400> 28

catcattcta tcgcgacaac gcgggccgaa 30

<210> 29

20 <211> 30

<212> DNA

<213> Artificial Sequence

<220>

25 <223> e-tag reporter sequence

<400> 29

cctcgagtac cttgcacga acctcctacg 30

30 <210> 30

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> e-tag reporter sequence

5

<400> 30

ccgttcgcgt agtgccgagg gcatcaatta 30

<210> 31

10 <211> 30

<212> DNA

<213> Artificial Sequence

<220>

15 <223> e-tag reporter sequence

<400> 31

ccacgcctcc tatttgtctt cagccgcgtc 30

20 <210> 32

<211> 30

<212> DNA

<213> Artificial Sequence

25 <220>

<223> e-tag reporter sequence

<400> 32

caggttcgca ctcagtcttt ccaaggcgcg 30

30

<210> 33

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

5 <223> e-tag reporter sequence

<221> misc_feature

<222> (1)...(1)

<223> e-tag modification to 5' end

10

<400> 33

taccaaggtg gcgaacgaga ccaggc

26

<210> 34

15 <211> 30

<212> DNA

<213> Artificial Sequence

<220>

20 <223> e-tag reporter sequence

<400> 34

cttggcctt gagaatgagc agatgacggg

30

25 <210> 35

<211> 30

<212> DNA

<213> Artificial Sequence

30 <220>

<223> e-tag reporter sequence

<400> 35

ctcaggctca gccaatggta agactgcggg

30

<210> 36

5 <211> 30

<212> DNA

<213> Artificial Sequence

<220>

10 <223> e-tag reporter sequence

<400> 36

ctcggcacgg ttctacggag tgcatagcga

30

15 <210> 37

<211> 30

<212> DNA

<213> Artificial Sequence

20 <220>

<223> e-tag reporter sequence

<400> 37

ctgtatcatc attcacggct gcagggccct

30

25

<210> 38

<211> 30

<212> DNA

<213> Artificial Sequence

30

<220>

<223> e-tag reporter sequence

<400> 38
ctacttgcct tcgcgtagtg gaggagagtt 30

5 <210> 39
<211> 30
<212> DNA
<213> Artificial Sequence

10 <220>
<223> e-tag reporter sequence

<400> 39
ctcggtcggg ctacacttcc tgtaaggca 30

15
<210> 40
<211> 30
<212> DNA
<213> Artificial Sequence

20
<220>
<223> e-tag reporter sequence

<400> 40
25 ctcgaccgcc aatccgcaat atgagccatg 30

<210> 41
<211> 30
<212> DNA
30 <213> Artificial Sequence

<220>

<223> e-tag reporter sequence

<400> 41

ctcccggagc gtgcagacta tccaggtgta

30

5

<210> 42

<211> 30

<212> DNA

<213> Artificial Sequence

10

<220>

<223> e-tag reporter sequence

<400> 42

15 ctgcattgtg gcagcttacc atgcagggtg

30

<210> 43

<211> 30

<212> DNA

20 <213> Artificial Sequence

<220>

<223> e-tag reporter sequence

25 <400> 43

ctcgtggag tctgaaaggc cagagataca

30

<210> 44

<211> 30

30 <212> DNA

<213> Artificial Sequence

<220>

<223> e-tag reporter sequence

<400> 44

5 ctgaacaatg ccgcgacaat ggagctgaag 30

<210> 45

<211> 30

<212> DNA

10 <213> Artificial Sequence

<220>

<223> e-tag reporter sequence

15 <400> 45

ctcagatcca cgtaaattggg cagcttgctg 30

<210> 46

<211> 30

20 <212> DNA

<213> Artificial Sequence

<220>

<223> e-tag reporter sequence

25

<400> 46

ctaccagata ggcttcctgc gtcaatccgg 30

<210> 47

30 <211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> e-tag reporter sequence

5 <400> 47

ctgagacgat agggccgctt attgcaccct 30

<210> 48

<211> 30

10 <212> DNA

<213> Artificial Sequence

<220>

<223> e-tag reporter sequence

15

<400> 48

ctttgggtga gagccaacag tggactggca 30

<210> 49

20 <211> 30

<212> DNA

<213> Artificial Sequence

<220>

25 <223> e-tag reporter sequence

<400> 49

ctacgcacct atgacgcgcc taacctttgg 30

30 <210> 50

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> e-tag reporter sequence

5

<400> 50

ctgagctggc tacagccacc gggtagagt

30

<210> 51

10 <211> 26

<212> DNA

<213> Artificial Sequence

<220>

15 <223> e-tag reporter sequence

<221> misc_feature

<222> (1)...(1)

<223> e-tag modification to 5' end

20

<400> 51

atcttacaga atccgccgcg caattg

26

<210> 52

25 <211> 30

<212> DNA

<213> Artificial Sequence

<220>

30 <223> e-tag reporter sequence

<400> 52

ctcaggaagg gcgaagcggt ccctgccaat

30

<210> 53

<211> 20

5 <212> DNA

<213> Artificial Sequence

<220>

<223> primer

10

<400> 53

aggtccactg cgtccgatgt

20

<210> 54

15 <211> 26

<212> DNA

<213> Artificial Sequence

<220>

20 <223> primer

<400> 54

aggtccactg cgtccgatgt tcgact

26

25 <210> 55

<211> 20

<212> DNA

<213> Artificial Sequence

30 <220>

<223> primer

<400> 55
ttggcagctc tcggcatcag 20

<210> 56
5 <211> 26
<212> DNA
<213> Artificial Sequence

<220>
10 <223> primer

<400> 56
ttggcagctc tcggcatcag tcgact 26

15 <210> 57
<211> 20
<212> DNA
<213> Artificial Sequence

20 <220>
<223> primer

<400> 57
tgaagaccgt cgtcgcgtac 20

25
<210> 58
<211> 26
<212> DNA
<213> Artificial Sequence

30
<220>
<223> primer

<400> 58

tgaagaccgt cgtcgcgtac tcgact 26

5 <210> 59

<211> 86

<212> DNA

<213> Artificial Sequence

10 <220>

<223> primer

<400> 59

aggccactg cgtccgatgt tcgactcggc gtagccctct ccgtcgtcct gtgtcctact 60

15 tcaaggacaa aatacctgta ttccgc 86

<210> 60

<211> 86

<212> DNA

20 <213> Artificial Sequence

<220>

<223> primer

25 <400> 60

aggccactg cgtccgatgt tcgactcatc attctatcgc gacaacgcgg gccgaatact 60

tcaaggacaa aatacctgta ttccat 86

<210> 61

30 <211> 52

<212> DNA

<213> Artificial Sequence

<220>

<223> primer

5 <400> 61

agggccactg cgtccgatgt caggggaaac ctatacttat aagtggaaca tc 52

<210> 62

<211> 80

10 <212> DNA

<213> Artificial Sequence

<220>

<223> primer

15

<400> 62

agggccactg cgtccgatgt tcgactcgag caaccggtcc gtctctaccc taaacggaag 60
gagaagggtgt ctgcggtagc 80

20 <210> 63

<211> 80

<212> DNA

<213> Artificial Sequence

25 <220>

<223> primer

<400> 63

agggccactg cgtccgatgt tcgactccgt tcgcgtagtg ccgagggcat caattagaag 60
30 gagaagggtgt ctgcggaagt 80

<210> 64

<211> 40

<212> DNA

<213> Artificial Sequence

5 <220>

<223> primer

<400> 64

agggccactg cgtccgatgt aggacggtgc ggtgagagtg 40

10

<210> 65

<211> 76

<212> DNA

<213> Artificial Sequence

15

<220>

<223> primer

<400> 65

20 aggtccactg cgtccgatgt tcgactctca ggaagggcga agcgttcctt gccaatcgcg 60
gacatggagg acgttt 76

<210> 66

<211> 76

25 <212> DNA

<213> Artificial Sequence

<220>

<223> primer

30

<400> 66

aggtccactg cgtccgatgt tcgactctac gcacctatga cgcgcctaac ctttggcgcg 60

gacatggagg acgttc

76

<210> 67

<211> 38

5 <212> DNA

<213> Artificial Sequence

<220>

<223> primer

10

<400> 67

aggtcactg cgtccgatgt gagcatggcc tgcacctc

38

<210> 68

15 <211> 30

<212> DNA

<213> Artificial Sequence

<220>

20 <223> probe

<221> misc_feature

<222> (2)...(5)

<223> chimeric phosphorothioate modification

25

<221> misc_feature

<222> 30

<223> 3' nucleotide linked to biotin

30 <221> misc_feature

<222> 1

<223> 5' nucleotide linked to TET

<400> 68

cggcgtagcc ctctccgtcg tcctgtgtcc

30

5 <210> 69

<211> 30

<212> DNA

<213> Artificial Sequence

10 <220>

<223> probe

<221> misc_feature

<222> (2)...(5)

15 <223> chimeric phosphorothioate modification

<221> misc_feature

<222> 30

<223> 3' nucleotide linked to biotin

20

<221> misc_feature

<222> 1

<223> 5' nucleotide linked to 6-FAM

25 <400> 69

catcattcta tcgcgacaac gcgggccgaa

30

<210> 70

<211> 30

30 <212> DNA

<213> Artificial Sequence

<220>

<223> probe

<221> misc_feature

5 <222> (2)...(5)

<223> chimeric phosphorothioate modification

<221> misc_feature

<222> 30

10 <223> 3' nucleotide linked to biotin

<221> misc_feature

<222> 1

<223> 5' nucleotide linked to TET

15

<400> 70

cgagcaaccg gtccgtctct accctaaacg

30

<210> 71

20 <211> 30

<212> DNA

<213> Artificial Sequence

<220>

25 <223> probe

<221> misc_feature

<222> (2)...(5)

<223> chimeric phosphorothioate modification

30

<221> misc_feature

<222> 30

<223> 3' nucleotide linked to biotin

<221> misc_feature

<222> 1

5 <223> 5' nucleotide linked to 6-FAM

<400> 71

ccgttcgctg agtgccgagg gcatcaatta

30

10 <210> 72

<211> 30

<212> DNA

<213> Artificial Sequence

15 <220>

<223> probe

<221> misc_feature

<222> (2)...(5)

20 <223> chimeric phosphorothioate modification

<221> misc_feature

<222> 30

<223> 3' nucleotide linked to biotin

25

<221> misc_feature

<222> 1

<223> 5' nucleotide linked to TET

30 <400> 72

ctacttgctt tcgcgtagtg gaggagagtt

30

<210> 73

<211> 30

<212> DNA

<213> Artificial Sequence

5

<220>

<223> probe

<221> misc_feature

10 <222> (2)...(5)

<223> chimeric phosphorothioate modification

<221> misc_feature

<222> 30

15 <223> 3' nucleotide linked to biotin

<221> misc_feature

<222> 1

<223> 5' nucleotide linked to 6-FAM

20

<400> 73

ctcggcacgg ttctacggag tgcatagcga

30

<210> 74

25 <211> 30

<212> DNA

<213> Artificial Sequence

<220>

30 <223> probe

<221> misc_feature

<222> (2)...(5)

<223> chimeric phosphorothioate modification

<221> misc_feature

5 <222> 30

<223> 3' nucleotide linked to biotin

<221> misc_feature

<222> 1

10 <223> 5' nucleotide linked to TET

<400> 74

ctcaggaagg gcgaagcggt ccctgccaat

30

15 <210> 75

<211> 30

<212> DNA

<213> Artificial Sequence

20 <220>

<223> probe

<221> misc_feature

<222> (2)...(5)

25 <223> chimeric phosphorothioate modification

<221> misc_feature

<222> 30

<223> 3' nucleotide linked to biotin

30

<221> misc_feature

<222> 1

<223> 5' nucleotide linked to 6-FAM

<400> 75

ctacgcacct atgacgcgcc taacctttgg

30

5

<210> 76

<211> 30

<212> DNA

<213> Artificial Sequence

10

<220>

<223> probe

<221> misc_feature

15 <222> (2)...(5)

<223> chimeric phosphorothioate modification

<221> misc_feature

<222> 30

20 <223> 3' nucleotide linked to biotin

<221> misc_feature

<222> 1

<223> 5' nucleotide linked to TET(M5)2

25

<400> 76

cggcgtagcc ctctccgtcg tcctgtgtcc

30

<210> 77

30 <211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> probe

5 <221> misc_feature

<222> (2)...(5)

<223> chimeric phosphorothioate modification

<221> misc_feature

10 <222> 30

<223> 3' nucleotide linked to biotin

<221> misc_feature

<222> 1

15 <223> 5' nucleotide linked to 6-FAM(M5)2

<400> 77

catcattcta tcgcgacaac gcgggcccga

30

20 <210> 78

<211> 30

<212> DNA

<213> Artificial Sequence

25 <220>

<223> probe

<221> misc_feature

<222> (2)...(5)

30 <223> chimeric phosphorothioate modification

<221> misc_feature

<222> 30

<223> 3' nucleotide linked to biotin

<221> misc_feature

5 <222> 1

<223> 5' nucleotide linked to TET(M2)2

<400> 78

cgagcaaccg gtccgtctct accctaaacg

30

10

<210> 79

<211> 30

<212> DNA

<213> Artificial Sequence

15

<220>

<223> probe

<221> misc_feature

20 <222> (2)...(5)

<223> chimeric phosphorothioate modification

<221> misc_feature

<222> 30

25 <223> 3' nucleotide linked to biotin

<221> misc_feature

<222> 1

<223> 5' nucleotide linked to 6-FAM((M2)2

30

<400> 79

ccgttcgcgt agtgccgagg gcatcaatta

30

<210> 80

<211> 30

<212> DNA

5 <213> Artificial Sequence

<220>

<223> probe

10 <221> misc_feature

<222> (2)...(5)

<223> chimeric phosphorothioate modification

<221> misc_feature

15 <222> 30

<223> 3' nucleotide linked to biotin

<221> misc_feature

<222> 1

20 <223> 5' nucleotide linked to TET(M5)

<400> 80

ctacttgccct tcgcgtagtg gaggagagtt

30

25 <210> 81

<211> 30

<212> DNA

<213> Artificial Sequence

30 <220>

<223> probe

<221> misc_feature

<222> (2)...(5)

<223> chimeric phosphorothioate modification

5 <221> misc_feature

<222> 30

<223> 3' nucleotide linked to biotin

<221> misc_feature

10 <222> 1

<223> 5' nucleotide linked to 6-FAM(M5)

<400> 81

ctcggcacgg ttctacggag tgcatagcga

30

15

<210> 82

<211> 21

<212> DNA

<213> Artificial Sequence

20

<220>

<223> primer

<400> 82

25 atgccgatga cctgcagaat t

21

<210> 83

<211> 21

<212> DNA

30 <213> Artificial Sequence

<220>

<223> primer

<400> 83

atgccgatga cctgcagaat c

21

5

<210> 84

<211> 18

<212> DNA

<213> Artificial Sequence

10

<220>

<223> primer

<400> 84

15 cctcgcggat ggcgctga

18

<210> 85

<211> 30

<212> DNA

20 <213> Artificial Sequence

<220>

<223> e-tag reporter sequence

25 <400> 85

catcattcta tcgcgacaac gcgggccgaa

30

<210> 86

<211> 78

30 <212> DNA

<213> Artificial Sequence

<220>

<223> primer

<400> 86

5 aggtccactg cgtccgatgt tcgactctcg gcacggttct acggagtgca tagcgagatg 60
ccgatgacct gcagaatt 78

<210> 87

<211> 77

10 <212> DNA

<213> Artificial Sequence

<220>

<223> primer

15

<400> 87

aggtccactg cgtccgatgt tcgactctac ttgccttcgc gtagtggagg agagttatgc 60
cgatgacctg cagaatc 77

20 <210> 88

<211> 38

<212> DNA

<213> Artificial Sequence

25 <220>

<223> primer

<400> 88

aggtccactg cgtccgatgt cctcgcggtat ggcgctga 38

30 It is evident from the above results that the subject invention provides methods and kits for the multiplexed determination of nucleic acid targets. The methods provide for homogeneous and heterogeneous protocols. In nucleic

acid determination, SNP determinations are greatly simplified where a multiplex assay that distinguishes alleles of a number of gene loci can be performed in a single reaction mixture and a large number of SNPs can be readily determined within a short period of time. It is further evident from the above results that the
5 subject invention provides an accurate, efficient and sensitive process for multiplexed nucleic acid determinations.

All publications and patent applications cited in this specification are herein incorporated by reference as if each individual publication or patent application were specifically and individually indicated to be incorporated by
10 reference.

Although the foregoing invention has been described in some detail by way of illustration and example for purposes of clarity of understanding, it will be readily apparent to those of ordinary skill in the art in light of the teachings of this invention that certain changes and modifications may be made thereto without
15 departing from the spirit or scope of the appended claims.